

**This Page is Inserted by IFW Indexing and Scanning  
Operations and is not part of the Official Record**

**BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☐ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** \_\_\_\_\_

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.**

L Number	Hits	Search Text	DB	Time stamp
-	1	(annul adj1 code) near4 pipeline	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/10 10:13
-	0	1117032.URPN.	USPAT	2003/09/05 14:43
-	0	(invalid adj1 flag) near4 pipeline	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/05 14:46
-	2	(valid\$3 adj1 flag\$1) near4 pipeline	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/05 14:46
-	0	(stop adj1 flag\$1) near4 pipeline	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/05 14:45
-	1	(annul adj1 code) same pipeline	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/05 14:46
-	3	(invalid adj1 flag\$1) same pipeline	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/05 14:46
-	42	(valid\$3 adj1 flag\$1) same pipeline	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/05 14:59
-	1	annul adj1 code	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/05 14:58
-	4	((valid\$3 adj1 flag\$1) same pipeline) and (execution adj1 units)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/05 15:11
-	12	((valid\$3 adj1 flag\$1) near4 instruction\$1) and (execution adj1 units)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/05 15:12
-	0	(branch near4 predica\$4) same (multiple adj1 execution)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/07 10:54
-	15	(branch near4 predica\$4) and (multiple adj1 execution adj1 units)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/07 10:59
-	0	(multiple adj1 execution adj1 units) same (multiply and ALU and shift)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/07 10:59
-	1	(multiple adj1 execution adj1 units) same (multiply and shift)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/07 11:00
-	47	(multiple adj1 execution adj1 units) and (multiply and shift and load and ALU)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/07 11:00

-	2	((("4566062") or ("5958048")).PN.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/08 08:05
-	202	((712/241).ccls) and @pd >= "20000113"	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/09 12:39
-	202	((712/241).ccls) and @pd>="20000113"	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/09 12:39
-	316	((712/241).ccls) and @pd>="2000113"	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/09 12:39
-	202	((712/241).ccls) and @pd>="20000113"	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/09 12:40
-	0	(annul adj1 bit) near4 (annul adj1 code)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/09 14:21
-	0	(null adj1 bit\$1) near4 pipeline\$1	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/10 10:15
-	6	(\$1null\$3 near41 bit\$1) near4 pipeline\$1	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/10 10:28
-	2	(\$1null\$3 near4 bit\$1) near4 pipeline\$1	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/10 10:34
-	12	(\$1null\$3 near4 bit\$1) same pipeline\$1	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/10 10:36
-	2	(US-4566062-\$ or US-5958048-\$).did.	USPAT	2004/02/10 10:38
-	3	((cancel or abort) near4 bit\$1) near4 pipeline\$1	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/10 11:07
-	59	(null\$3) near4 pipeline\$1	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/10 11:07
-	7	branch near4 (null\$3 near4 bit\$1)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/10 13:29
-	5	branch near4 ((cancell or abort) near4 bit\$1)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/10 11:31
-	32	branch same (null\$3 near4 bit\$1)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/10 11:32

-	0	branch near4 (void near4 bit\$1)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/10 13:21
-	7	branch near4 (void near4 instruction\$1)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/10 13:22
-	7	branch same (void near4 instruction\$1)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/10 13:22
-	182	branch near4 (valid\$3 near4 bit\$1)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/11 15:56
-	127	branch near4 (valid\$3 adj1 bit\$1)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/10 13:30
-	56	branch near4 ((valid\$3 adj1 bit\$1) near4 instruction\$1)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/11 16:06
-	280	(712/226).CCLS.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/10 14:04
-	3	(branch near4 (bypass or fall?through)) near4 \$2valid\$3	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/11 10:50
-	3	(branch near4 (bypass or fall?through)) same (\$2valid\$3 adj1 (bit\$1 or cod\$3))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/11 10:58
-	2	(branch near4 bypass) same ((\$2valid\$3 or \$1null\$3) adj1 (bit\$1 or cod\$3))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/11 10:59
-	9	(branch near4 bypass) same ((\$2valid\$3 or \$1null\$3))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/11 10:59
-	141	(712/235).CCLS.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/11 11:00
-	967	(\$1null\$3 or cancel\$4 or abort\$3) adj1 instruction\$1	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/11 14:36
-	48	(((\$1null\$3 or cancel\$4 or abort\$3) adj1 instruction\$1) near4 (branch\$3 or predicat\$3))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/11 14:36
-	2	predicate near4 (valid\$3 near4 bit\$1)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/11 15:58
-	6	predicate same (valid\$3 near4 bit\$1)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/11 15:58

-	2	predicate near4 ((valid\$3 adj1 bit\$1) near4 instruction\$1)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/11 16:14
-	199	(data adj1 register\$1) near4 (hal\$2)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/19 10:11
-	213	(data adj1 register\$1) near4 (hal\$3)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/19 10:11
-	56	(data adj1 register\$1) near4 ((first and second) near4 hal\$3)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/19 10:16
-	11	(data adj1 register\$1) near4 (one?hal\$3)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/19 10:17
-	535	(register\$1) near4 (one?hal\$3)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/19 10:17
-	5	(register\$1) near4 ((first) adj1 one?hal\$3)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/19 10:18
-	5	((first) adj1 one?hal\$3) near4 register\$1	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/19 10:19
-	191	(one?hal\$3) adj4 register\$1	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/19 10:20
-	158	(one?half) adj4 register	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/19 10:20
-	25	(one?half) adj1 register	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/19 10:22
-	22	(half) adj1 (data adj1 register)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/19 10:26
-	1	(top adj1 half) near4 (data adj1 register)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/19 10:27
-	1	(top near4 half) near4 (data adj1 register)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/19 10:27
-	78	(top near4 half) near4 (register)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/19 10:28
-	75	load near4 (half near4 register)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/19 10:28

-	9	load near4 (half adj1 register)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/19 10:34
-	0	(high near4 low) near4 (data adj1 register adj1 half)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/19 10:35
-	0	(high near4 low) near4 (data adj1 register near2 half)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/19 10:35
-	2	(high or low) near4 (data adj1 register near2 half)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/19 10:35
-	519	(annul or cancel or null or nullification or abort) adj1 instruction\$1	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/19 10:41
-	0	((annul or cancel or null or nullification or abort) adj1 instruction\$1) near4 (successive adj1 instructions)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/19 10:40
-	1	((annul or cancel or null or nullification or abort) adj1 instruction\$1) near4 ((successive or following) adj1 instructions)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/19 10:40
-	507	(annul or cancel or null or abort) adj1 instruction\$1	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/19 10:41
-	2	(annul) adj1 instruction\$1	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/19 11:17
-	305	skip adj1 instruction\$1	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/19 11:18
-	0	(skip adj1 instruction\$1) near4 (N adj1 instructions)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/19 11:19
-	24	(skip adj1 instruction\$1) near4 following	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/19 11:19
-	4	((("5493669") or ("5748935") or ("5784603") or ("5809324"))).PN.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/20 10:12
-	219	(712/241).CCLS.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/08/19 11:09
-	27	(speculative) near4 ((null\$3 or cancel\$3 or anul\$4 or squish\$3 or quish\$3) near4 instruction\$1)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/08/19 12:07
-	2	(speculative or predicate) near4 ((null\$3 or cancel\$3 or anul\$4 or squish\$3 or quish\$3) near4 bit\$1)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/08/19 12:08

-	5	(speculative or predicate) near4 ((null\$3 or cancel\$3 or anul\$4 or squish\$3 or quish\$3) same bit\$1)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/08/19 12:20
-	41	(speculative or predicate) same ((null\$3 or cancel\$3 or anul\$4 or squish\$3 or quish\$3) same bit\$1)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/08/19 12:24